Claims

1. A compound of the Formula I

$$(R^1)_m \xrightarrow{Q} 0 \qquad \qquad \qquad N \qquad \qquad N$$

- 5 wherein m is 0, 1 or 2;
 - R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, (1-6C)alkoxy-
- 10 (2-6C)alkoxy, carbamoyl-(1-6C)alkoxy, N-(1-6C)alkylcarbamoyl-(1-6C)alkoxy, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl-(1-6C)alkyl, hydroxy-(2-6C)alkylamino, cyano-(2-6C)alkylamino, halogeno-(2-6C)alkylamino, amino-(2-6C)alkylamino, (1-6C)alkylamino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino-(2-6C)alkylamino, di-[(1-6C)alkyl]amino-(2-6C)alkyla
- 15 (2-6C)alkylamino, heteroaryl, heteroaryl-(1-6C)alkyl, heteroaryloxy, heteroaryl-(1-6C)alkoxy, heteroarylamino, heterocyclyl, heterocyclyl-(1-6C)alkyl, heterocyclyloxy, heterocyclyl-(1-6C)alkoxy and heterocyclylamino,
 - and wherein any aryl, heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl,
- 20 (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, carboxy-(1-6C)alkyl, amino-(1-6C)alkyl,
- 25 (1-6C)alkylamino-(1-6C)alkyl and di-[(1-6C)alkyl]amino-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected

from halogeno, hydroxy, amino, trifluoromethyl, trifluoromethoxy, oxo, carboxy, carbamoyl, acetamido, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkoxy, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, (1-6C)alkoxy-(2-6C)alkoxy, (1-6C)alkoxycarbonyl, carbamoyl, N-(1-6C)alkylcarbamoyl, N-di-[(1-6C)alkyl]carbamoyl, (1-6C)sulphonyl, (1-6C)sulphamoyl, heteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy, and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents;

R² is halogeno, trifluoromethyl or (1-6C)alkyl;

10 R³ is hydrogen, halogeno or (1-6C)alkyl; and R⁴ is (3-6C)cycloalkyl, and R⁴ may be optionally substituted by one or more substituents selected from halogeno, hydroxy, amino, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino; or a pharmaceutically-acceptable salt thereof.

- A compound according to claim 1 wherein R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy,(1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino (2-6C)alkoxy, (1-6C)alkoxy-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-
- (1-6C)alkyl, heteroaryl-(1-6C)alkyl, heteroaryl-(1-6C)alkoxy, heterocyclyl, heterocyclyl-(1-6C)alkyl, heterocyclyloxy and heterocyclyl-(1-6C)alkoxy, and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-
- 25 (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group
- which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, oxo (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl,

- 148 -

(3-6C)cycloalkyl, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, halogeno-(1-6C)alkyl, (1-6C)alkoxycarbonyl, heteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy, and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents; or a pharmaceutically-acceptable salt thereof.

- 3. A compound according to claim 1 or claim 2 wherein R¹ is halogeno, hydroxy, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphonyl, amino-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy,
- di-[(1-6C)alkyl]amino-(2-6C)alkoxy, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl(1-6C)alkyl, heteroaryl-(1-6C)alkyl, heterocyclyl, heterocyclyloxy and heterocyclyl(1-6C)alkoxy,
 and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or
 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-
- (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, (1-6C)alkyl, (3-6C)cycloalkyl, (1-6C)alkoxy, di-[(1-6C)alkyl]amino, (1-6C)alkoxy-(1-6C)alkyl, (1-6C)alkoxycarbonyl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy; or a pharmaceutically-acceptable salt thereof.
- 25 4. A compound according to claim 1 wherein m is 1 or 2; or a pharmaceutically-acceptable salt thereof.
 - 5. A compound according to claim 1 wherein R² is (1-6C)alkyl; or a pharmaceutically-acceptable salt thereof.
 - 6. A compound according to claim 1 or claim 5 wherein R² is methyl; or a pharmaceutically-acceptable salt thereof.

- 7. A compound according to claim 1 wherein R³ is hydrogen; or a pharmaceutically-acceptable salt thereof.
- 5 8. A compound according to claim 1 wherein R⁴ is cyclopropyl or cyclobutyl, and R⁴ may be optionally substituted by one or more substituents selected from halogeno, hydroxy, amino, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino; or a pharmaceutically-acceptable salt thereof.
- 10 9. A compound according to claim 1 wherein R⁴ is cyclopropyl and may be optionally substituted by one or more substituents selected from fluoro, chloro, hydroxy, methyl, ethyl, and methoxy; or a pharmaceutically-acceptable salt thereof.
- 10. A compound according to claim 1 wherein R⁴ is cyclopropyl or cyclobutyl; or a
 15 pharmaceutically-acceptable salt thereof.
 - A compound according to claim 1 wherein m is 1;
 R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl,
 (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio,
- 20 (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, (1-6C)alkoxy-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-(1-6C)alkyl, heteroaryl-(1-6C)alkyl, heterocyclyl-(1-6C)alkyl, heterocyclyloxy and heterocyclyl-(1-6C)alkoxy,
- and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl,
- 30 hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen

atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, oxo (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, halogeno-(1-6C)alkyl, (1-6C)alkoxycarbonyl, beteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy, and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents;

R² is trifluoromethyl or methyl;

R³ is hydrogen;

10 R⁴ is cyclopropyl or cyclobutyl and may be optionally substituted by one or more substituents selected from fluoro, chloro, hydroxy, methyl, ethyl, and methoxy; or a pharmaceutically-acceptable salt thereof.

12. A compound according to claim 1 wherein m is 1;

R¹ is fluoro, chloro, bromo, iodo, hydroxy, methoxy, ethoxy, propoxy, acetyl, methylthio, ethylthio, methylsulphonyl, ethylsulphonyl, 2-aminoethoxy, 2-amino-1-methylethoxy, 3-aminopropoxy, 2-amino-2-methylpropoxy, 2-methylaminoethoxy, 2-methylamino-1-methylethoxy, 3-ethylaminopropoxy, 2-dimethylaminoethoxy, 2-diethylaminoethoxy, 2-dimethylaminopropoxy, 2-dimethylamino-2-methylethoxy, 3-dimethylaminopropoxy, dimethylaminomethyl, diethylaminomethyl, 1-dimethylaminoethyl, 2-dimethylaminoethyl, 3-dimethylaminopropyl, carbamoylmethyl, 1-carbamoylethyl, 2-carbamoylethyl, 3-carbamoylpropyl, heteroarylmethyl, heteroarylethyl, heterocyclyl, heterocyclyloxy, heterocyclylmethoxy and 2-heterocyclylethoxy, and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, fluoro, chloro, bromo, iodo, methyl, ethyl, propyl, isopropyl, cyclobutylmethyl, cyclopropylmethyl, cyclobutylmethoxy, cyclopropylmethoxy, acetyl, methoxy, ethoxy, propoxy, methoxycarbonylmethyl, ethoxycarbonylmethyl, tert-butoxycarbonylmethyl, 1-methoxycarbonylethyl, 1-ethoxycarbonylethyl,

30 3-ethoxycarbonylpropyl, N-methylcarbamoyl, N-ethylcarbamoyl, N-propylcarbamoyl, N,N-dimethylcarbamoyl, N-ethyl-N-methylcarbamoyl, N,N-diethylcarbamoyl, fluoromethyl, chloromethyl, bronnomethyl, difluoromethyl, dichloromethyl, dibromomethyl, 2-fluoroethyl,

2-methoxycarbonylethyl, 2-ethoxycarbonylethyl, 3-methoxycarbonylpropyl,

WO 2005/042502

- 2-chloroethyl, 2-bromoethyl, hydroxymethyl, 2-hydroxyethyl, 1-hydroxyethyl, 3-hydroxypropyl, methoxymethyl, ethoxymethyl, 1-methoxyethyl, 2-methoxyethyl, 2-ethoxyethyl and 3-methoxypropyl, cyanomethyl, 2-cyanoethyl, 1-cyanoethyl, 3-cyanopropyl,
- and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from fluoro, chloro, bromo, iodo, hydroxy, trifluoromethyl, methyl, ethyl, propyl, isopropyl, tert-butyl, cyclopropyl, cyclobutyl, cyclopentyl, methoxy, ethoxy, propoxy, isopropoxy, tert-
- butoxy, dimethylamino, diethylamino, N-ethyl-N-methylamino, methoxymethyl, ethoxymethyl, 1-methoxyethyl, 2-methoxyethyl, 2-ethoxyethyl, 3-methoxypropyl, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, tert-butoxycarbonyl, heteroarylmethyl, heteroarylethyl, heterocyclyl and heterocyclyloxy

R² is methyl;

15 R³ is hydrogen;

R⁴ is cyclopropyl or cyclobutyl and may be optionally substituted by methyl; or a pharmaceutically-acceptable salt thereof.

- 13. A compound according to claim 1 selected from:-
- 20 N-cyclopropyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide, N-cyclobutyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide, N-cyclopropyl-4-methyl-3-[4-oxo-6-(piperidin-4-yloxy)quinazolin-3(4H)-yl]benzamide, N-cyclopropyl-3-[6-{[1-(cyclopropylmethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide,
- 25 N-cyclopropyl-3-[6-(1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide, N-cyclopropyl-4-methyl-3-(4-oxo-6-piperazin-1-ylquinazolin-3(4H)-yl)benzamide, N-cyclopropyl-4-methyl-3-[6-(4-methyl-1,4-diazepan-1-yl)-4-oxoquinazoline-3(4H)-yl]benzamide,
 - N-cyclopropyl-4-methyl-3-[6-(4-ethylpiperazin-1-yl)-4-oxoquinazoline-3(4H)-yl]benzamide,
- 30 N-cyclopropyl-4-methyl-3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazoline-3(4H)-yl]benzamide,
 - N-cyclopropyl-4-methyl-3-[6-[(3S)-3-methylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-

- 152 -

- yl]benzamide,
- N-cyclopropyl-4-methyl-3-[6-[(3R)-3-methylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-yl]benzamide,
- N-cyclopropyl-4-methyl-3-[6-[4-(2-hydroxyethyl) piperazin-1-yl]-4-oxoquinazoline-3(4H)-
- 5 yl]benzamide,
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-propylpiperazin-1-yl)quinazolin-3(4H)-yl]benzamide, N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-propyl-1,4-diazepan-1-yl)quinazolin-3(4H)-yl]benzamide,
 - N-cyclopropyl-4-trifluoromethyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-
- 10 yl]benzamide,
 - N-cyclopropyl-4-methyl-3-[6-(4-[tert-butylacetyl]piperazin-1-yl)-4-oxoquinazoline-3(4H)-yl]benzamide,
 - N-cyclopropyl-4-methyl-3-[6-[(3S)-3,4-dimethylpiperazin-1-yl)]-4-oxoquinazoline-3(4H)-yl]benzamide,
- 15 N-cyclopropyl-4-methyl-3-[6-[(3R)-3,4-dimethylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-yl]benzamide,
 - N-cyclopentyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide; N-cyclopropyl-3-[6-[(3-hydroxy-2,2-dimethylpropyl)amino]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 20 N-cyclopropyl-4-methyl-3-[2-methyl-6-(4-methyl-1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-[6-[4-(cyclopropylmethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-(4-ethyl-1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-
- 25 methylbenzamide;
 - N-cyclopropyl-3-[6-[4-(2-methoxyethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - 3-[6-[4-(2-amino-2-oxoethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
- 30 [4-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)piperazin-1-yl]acetic acid;

- N-cyclopropyl-3-[6-[4-(cyclopropylmethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- N-cyclopropyl-3-[6-[4-(2-ethoxyethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 5 N-cyclopropyl-3-[6-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-2-methyl-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-(7-fluoro-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide; N-cyclopropyl-3-[6-(2,3-dihydroxy-2-methylpropoxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 10 N-cyclopropyl-3-(6-isobutoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide; N-cyclopropyl-3-[6-(2-hydroxy-2-methyl-3-pyrrolidin-1-ylpropoxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-(6-morpholin-4-yl-4-oxoquinazolin-3(4H)-yl)benzamide; N-cyclopropyl-4-methyl-3-(4-oxo-6-thiomorpholin-4-ylquinazolin-3(4H)-yl)benzamide;
- 15 N-cyclopropyl-3-[6-(4-hydroxypiperidin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-(3-hydroxyazetidin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide; N-cyclopropyl-4-methyl-3-[6-(4-methyl-4-oxidopiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
- 20 N-cyclopropyl-4-methyl-3-[6-[4-(methylsulfonyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-[6-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[6-(4-methylpiperidin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
- 25 N-cyclopropyl-4-methyl-3-(4-oxo-6-piperidin-1-ylquinazolin-3(4H)-yl)benzamide; 4-methyl-N-(1-methylcyclopropyl)-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
 - 3-[6-[4-(cyanomethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
- 30 N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-prop-2-yn-1-ylpiperazin-1-yl)quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-(4-oxoquinazolin-3(4H)-yl)benzamide;

- 3-[6-(4-acetylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
- 3-[6-(4-cyclobutylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
- N-cyclopropyl-3-(6-iodo-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;
- 5 N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-(6-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;
 - 3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methyl-N-(1-methylcyclopropyl)benzamide;
- 10 N-cyclobutyl-3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[(1-ethylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[7-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
- 15 N-cyclopropyl-3-[6-[(1-isopropylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-[4-(1,3-thiazol-4-ylmethyl)piperazin-1-yl]quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[6-{4-[(5-methylisoxazol-3-yl)methyl]piperazin-1-yl}-4-
- 20 oxoquinazolin-3(4H)-yl]benzamide;
 - tert-butyl 3-[(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)oxy]pyrrolidine-1-carboxylate;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(pyrrolidin-3-yloxy)quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(pyridin-2-ylmethoxy)quinazolin-3(4H)-yl]benzamide;
- 25 N-cyclopropyl-3-[6-[4-(2-fluoroethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[4-(2,2-difluoroethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - $N-cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy) and the sum of the control of the cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy) and the cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-oxo-6-\{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-oxo-6-[4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-oxo-6-[4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl] piperazin-1-pyran-2-yloxy). The cyclopropyl-4-methyl-3-[4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl-3$
- 30 yl}quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[6-[(1-methylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

- N-cyclopropyl-3-[6-[(1-ethylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- N-cyclopropyl-3-[6-{[1-(cyclopropylmethyl)pyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 5 N-cyclopropyl-3-[6-{[1-(2-fluoroethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-{[1-(2-methoxyethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[2-(dimethylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-
- 10 methylbenzamide;
 - N-cyclopropyl-3-[6-[(1-cyclopropylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[(3R)-4-ethyl-3-methylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 15 N-cyclopropyl-3-[7-fluoro-6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[(3R)-4-isopropyl-3-methylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - $N-cyclopropyl-3- \verb|[6-[(3R)-4-(cyclopropylmethyl)-3-methylpiperazin-1-yl]-4-oxoquinazolin-1-yl-4-oxoquinazolin-1$
- 20 3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-pyrrolidin-1-ylethoxy)quinazolin-3(4H)-yl]benzamide; N-cyclopropyl-4-methyl-3-[6-(2-morpholin-4-ylethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-piperidin-1-ylethoxy) quinazolin-3 (4H)-yl] benzamide;
- 3-[6-(2-azetidin-1-ylethoxy)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide; tert-butyl 5-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)-2,5-diazabicyclo[2.2.1]heptane-2-carboxylate; N-cyclopropyl-3-[6-[3-(dimethylamino)propoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 30 N-cyclopropyl-3-[6-[(1-isopropylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

- 156 -

N-cyclopropyl-4-methyl-3-[6-(5-methyl-2,5-diazabicyclo[2.2.1]hept-2-yl)-4-oxoquinazolin-3(4*H*)-yl]benzamide;

N-cyclopropyl-3-(6-hydroxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(1,2,3,6-tetrahydropyridin-4-yl)quinazolin-3(4H)-

5 yl]benzamide;

N-cyclopropyl-3-[6-[2-(4-isopropylpiperazin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[2-(4,4-difluoropiperidin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

10 N-cyclopropyl-3-[6-{2-[(3R)-3-fluoropyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[(3S)-pyrrolidin-3-yloxy]quinazolin-3(4H)-yl]benzamide; N-cyclopropyl-4-methyl-3-[6-[2-(1,4-oxazepan-4-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

15 N-cyclopropyl-4-methyl-3-[6-{2-[methyl(pyridin-2-ylmethyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[4-(2,2,2-trifluoro-1-methylethyl)piperazin-1-yl]quinazolin-3(4H)-yl]benzamide;

 $N-cyclopropyl-3-[6-\{2-[(2-methoxyethyl)(methyl)amino]ethoxy\}-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(2-methoxyethyl)(methyl)amino]ethoxy-4-oxoquinazolin-3(4H)-yl]-1-(4H)$

20 4-methylbenzamide;

 $N\hbox{-}cyclopropyl-4-methyl-3-(4-oxopyrido[3,4-d] pyrimidin-3(4H)-yl) benzamide;$

N-cyclopropyl-4-methyl-3-[6-{[(3S)-1-methylpyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]benzamide;

 $N-cyclopropyl-3-[6-\{[(3S)-1-ethylpyrrolidin-3-yl]oxy\}-4-oxoquinazolin-3(4H)-yl]-4-oxoquinazoli$

25 methylbenzamide;

N-cyclopropyl-3-[6-{[(3S)-1-(cyclopropylmethyl)pyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{[(3S)-1-isopropylpyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

30 N-cyclopropyl-4-methyl-3-(4-oxopyrido[2,3-d]pyrimidin-3(4H)-yl)benzamide; N-cyclopropyl-4-methyl-3-[4-oxo-6-[(3R)-pyrrolidin-3-yloxy]quinazolin-3(4H)-yl]benzamide;

- 157 -

N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-piperidin-1-ylpropoxy)quinazolin-3(4H)-yl]benzamide;

- N-cyclopropyl-4-methyl-3-[4-oxo-6-[2-(1H-pyrrol-1-yl)ethoxy]quinazolin-3(4H)-yl]benzamide;
- 5 N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-pyrrolidin-1-ylpropoxy)quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-[6-[2-(dimethylamino)-2-methylpropoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-[3-(1H-pyrrol-1-yl)propoxy]quinazolin-3(4H)-
- 10 yl]benzamide;
 - $3-[6-(2-aminoethoxy)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide; \\ N-cyclopropyl-4-methyl-3-[6-{[(3R)-1-methylpyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]benzamide; \\$
 - $N-cyclopropyl-3-[6-\{[(3R)-1-ethylpyrrolidin-3-yl]oxy\}-4-oxoquinazolin-3(4H)-yl]-4-oxoquinazoli$
- 15 methylbenzamide;
 - N-cyclopropyl-3-[6-{[(3R)-1-(cyclopropylmethyl)pyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-{[(3R)-1-isopropylpyrrolidin-3-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 20 N-cyclopropyl-3-[6-[2-(dimethylamino)-2-oxoethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[6-{2-[(methylsulfonyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;
 - 3-[6-[2-(acetylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
- 25 N-cyclopropyl-3-(7-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[6-[3-(4-methylpiperazin-1-yl)propoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-3-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
- 30 N-cyclopropyl-3-[6-[2-(1H-imidazol-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

- N-cyclopropyl-4-methyl-3-[4-oxo-6-[2-(2-oxoimidazolidin-1-yl)ethoxy]quinazolin-3(4H)-yl]benzamide;
- N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
- 5 N-cyclopropyl-4-methyl-3-[6-[(1-methyl-1H-imidazol-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-[6-{[2-(dimethylamino)ethyl]thio}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-thiomorpholin-4-ylethoxy)quinazolin-3(4H)-
- 10 yl]benzamide;

WO 2005/042502

- N-cyclopropyl-3-[6-[2-(4-hydroxypiperidin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- $3-[6-\{2-[(cyclobutylmethyl)(methyl)amino]ethoxy\}-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;$
- 15 N-cyclopropyl-4-methyl-3-[6-(2-{methyl[2-(methylsulfonyl)ethyl]amino}ethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;
 - $N-cyclopropyl-4-methyl-3-[6-(2-\{methyl[(1-methyl-1H-pyrazol-4-yl)methyl]amino\}ethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;\\$
 - methyl (2E)-3-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-
- 20 dihydroquinazolin-6-yl)acrylate;
 - N-cyclopropyl-3-[6-[3-(dimethylamino)prop-1-yn-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[3-(dimethylamino)propyl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 25 N-cyclopropyl-4-methyl-3-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[6-(1-methylpiperidin-4-yl)-4-oxoquinazolin-3(4H)-yl]benzamide; N-cyclopropyl-3-[7-[3-(dimethylamino)propoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 30 N-cyclopropyl-4-methyl-3-[7-(2-morpholin-4-ylethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;

- $N-cyclopropyl-3-[6-\{[1-(2-hydroxy-2-methylpropyl)piperidin-4-yl]oxy\}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;$
- $N-cyclopropyl-3-[6-(\{1-[(2S)-2-hydroxypropyl]piperidin-4-yl\}oxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;$
- 5 N-cyclopropyl-3-[6-({1-[(2R)-2-hydroxypropyl]piperidin-4-yl}oxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-4-methyl-3-[4-oxo-6-[(2S)-pyrrolidin-2-ylmethoxy]quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[6-{[(2S)-1-methylpyrrolidin-2-yl]methoxy}-4-oxoquinazolin-
- 10 3(4H)-yl]benzamide;
 - N-cyclopropyl-3-[6-{[1-(2-hydroxyethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 15 N-cyclopropyl-3-[6-{2-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-{2-[isopropyl(methyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
 - N-cyclopropyl-3-[6-{2-[isopropyl(2-methoxyethyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-
- 20 yl]-4-methylbenzamide;
 - 3-[6-[2-(tert-butylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
 - N-cyclopropyl-3-[6-[3-(dimethylamino)-2-methylpropoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
- 25 N-cyclopropyl-4-methyl-3-[6-[(4-methylmorpholin-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-4-methyl-3-[8-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide; 3-[6-[2-(dimethylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methyl-N-(1-methylcyclopropyl)benzamide;
- 30 4-methyl-N-(1-methylcyclopropyl)-3-[4-oxo-6-(2-piperidin-1-ylethoxy)quinazolin-3(4H)-yl]benzamide;
 - N-cyclopropyl-3-(8-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[(2R)-pyrrolidin-2-ylmethoxy]quinazolin-3(4H)-yl]benzamide;

 $N-cyclopropyl-4-methyl-3-[6-\{[(2R)-1-methylpyrrolidin-2-yl]methoxy\}-4-oxoquinazolin-3(4H)-yl]benzamide;\\$

5 N-cyclopropyl-3-[6-{[(2S)-1-glycoloylpyrrolidin-2-yl]methoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-thiomorpholin-4-ylpropoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{3-[(3R)-3-hydroxypyrrolidin-1-yl]propoxy}-4-oxoquinazolin-3(4H)-yl]-

10 4-methylbenzamide;

N-cyclopropyl-3-[6-[3-(4-hydroxypiperidin-1-yl)propoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{3-[(2-methoxyethyl)(methyl)amino]propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

15 N-cyclopropyl-3-[6-{3-[(3-furylmethyl)(methyl)amino]propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide; and

 $3-[6-\{3-[(cyclobutylmethyl)(methyl)amino]propoxy\}-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;$

or a pharmaceutically-acceptable salt thereof.

20

- 14. A process for preparing a compound of the Formula I according to claim 1, or pharmaceutically-acceptable salt thereof which comprises:-
- (a) reacting an N-phenyl-2-aminobenzamide of the Formula II

$$(R^{1})_{m} \xrightarrow{Q} (R^{2})_{m} \xrightarrow{Q} (R^{2})_{m} \xrightarrow{Q} (R^{3})_{m} \xrightarrow{Q} (R^{2})_{m} \xrightarrow{Q} (R^{2})_{m} \xrightarrow{Q} (R^{3})_{m} \xrightarrow{Q} (R^{$$

25 with a carboxylic acid of the Formula III, or a reactive derivative thereof,

- 161 -

wherein variable groups are as defined in claim 1 and wherein any functional group is protected if necessary, and:

- (i) removing any protecting groups; and
- (ii) optionally forming a pharmaceutically-acceptable salt;
- 5 (b) reacting a carboxylic acid of the Formula X or a reactive derivative thereof as defined hereinbefore,

with a amine of the Formula VI,

X

- 10 under standard amide bond forming conditions as defined hereinbefore, wherein variable groups are as defined in claim 1 and wherein any functional group is protected if necessary, and:
 - (i) removing any protecting groups; and
 - (ii) optionally forming a pharmaceutically-acceptable salt.

- 15. A pharmaceutical composition for use in the treatment of diseases mediated by cytokines which comprises compound of the Formula I as claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof, in association with a pharmaceutically-acceptable diluent or carrier.
- 20 16. A compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof, for use in a method of treatment of the human or animal body by therapy.
- 17. A method of treating diseases or medical conditions mediated by cytokines which
 25 comprises administering to a warm-blooded animal an effective amount of a compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof.

- 162 -

18. A method of treating a disease or medical condition mediated by cytokines which comprises administering to a warm-blooded animal in need thereof a cytokine inhibiting amount of a compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof.

5

19. A method of treating a disease or medical condition mediated by the production or effect of cytokines which comprises administering to a warm-blooded animal in need thereof a cytokine inhibiting amount of a compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof.

- 20. A method of treating rheumatoid arthritis, asthma, chronic obstructive pulmonary disease, inflammatory bowel disease, multiple sclerosis, AIDS, septic shock, congestive heart failure, ischaemic heart disease or psoriasis which comprises administering to a warm-blooded animal an effective amount of a compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof.
 - 21. A compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof, in the manufacture of a medicament.
- 20 22. A compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable salt thereof, in the manufacture of a medicament for use in the treatment of medical conditions mediated by cytokines.
- 23. The use of a compound of the Formula I claimed in any one of claims 1 to 13, or a pharmaceutically-acceptable thereof, in the manufacture of a medicament for use in the treatment of rheumatoid arthritis, asthma, chronic obstructive pulmonary disease, inflammatory bowel disease, multiple sclerosis, AIDS, septic shock, congestive heart failure, ischaemic heart disease or psoriasis.